

Safety Data Sheet

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Revision Date: 22.11.2022 Version 2

TEKKİM

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Catalog No. TK.930108.00000
Product Name Acetonitrile % 99,9
Cas no 75-05-8

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Using as laboratory reagent. Analytical and preparative chromatography.

1.2.2. Uses advised against

No information available.

1.3. Details of the supplier of the safety data sheet

Name TEKKİM KİMYA SAN. TİC. LTD. ŞTİ.
Street ORGANİZE SAN. BÖL. MAVİ CAD. 8. SOK. NO :1 NİLÜFER / BURSA
Telephone 0224 243 21 71
E-mail erhan@tekkim.com.tr
Company Representative Erhan DİLER

1.4 Emergency Telephone Number +90 506 990 36 86

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 (CLP)


Flammable liquids, Category 2
Acute toxicity, Oral, Category 4
Acute toxicity, By inhalation, Category 4
Acute toxicity, Dermal, Category 4
Eye irritation, Category 2

For the full text of the H and EUH statements referred to in this section, see section 16.

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 (CLP)

Hazard pictograms



Signal word (SEA)

DANGER


Hazard Statements (SEA)

H225 Highly flammable liquid and vapour.
H302 + H312 + H332 Harmful if swallowed, in contact with skin or if inhaled.
H319 Causes serious eye irritation.

Precautionary Statements (SEA)



Tekkim is accredited to
ISO 9001:2015 and ISO 14001:2015

Tekkim Kimya Company is an  group company
www.tekkim.com.tr | tekkim@tekkim.com.tr

Tekkim Kimya Sanayi ve Ticaret Limited Şirketi
Factory: O.S.B Mavi Caddesi 8.Sokak No:1 Nilüfer - BURSA | TURKEY
+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66
Factory: istoc 33.ada No: 47-49-51-53
+90 212 659 64 24 (pbx) | Fax: +90 212 659 64 30 - 31

Safety Data Sheet

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Revision Date: 22.11.2022 Version 2



Prevention

P210 Keep away from heat/sparks/open flames/hot surfaces. -No smoking.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Intervention

P301+P312 IF SWALLOWED: Call 114 POISON CENTER or doctor/physician if you feel unwell.

P303+P361+P353 IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse your skin with water/shower.

P304+P340 IF INHALED: Move victim to fresh air and keep in a position comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if fitted and easy to do. Continue rinsing.

SECTION 3: Composition/information on ingredients

Classification according to Regulation (EC) No. 1272/2008 (CLP)

3.1 Maddeler

EC No	200-835-2
Molar mass	41.05 g/mol
Cas No	75-05-8
Concentration	(<= 100 %)

SECTION 4: First aid measures

4.1 Description of first aid measures

General information	In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).
Following inhalation	Remove to fresh air. Call a doctor. If breathing stops: apply mechanical respiration immediately, with oxygen if necessary.
Following skin contact	Wash with plenty of water. Take off contaminated clothing.
Following eye contact	In case of contact with eyes, rinse immediately with plenty of water and consult an ophthalmologist.
Following ingestion	Give up to two glasses of water. Get medical help immediately.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling

4.3 Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water. Foam. Dry extinguishing powder. Carbon dioxide (CO₂).

Unsuitable extinguishing media

There is no restriction for this item.

5.2 Special hazards arising from the substance or mixture

Carbon oxides. Nitrogen oxides (NO_x). Flammable. Fire may cause evolution of: nitrogen oxides, hydrogen cyanide. There may be a flashback. Be careful. Heavy-than-air vapors may form on the floor surface. In case of fire, dangerous flammable gases or vapors may develop. Forms explosive mixtures with air at atmospheric temperature.

5.3 Advice for firefighters

Special protective equipment for firefighters

Do not stay in dangerous zone without self-contained breathing apparatus. Keep a safe distance to cut off contact with skin and wear suitable protective clothing.

5.4 Additional information

Stop and contain spill/release if it can be done safely. If this cannot be done, allow fire to burn under control.



Tekkim is accredited to
ISO 9001:2015 and ISO 14001:2015

Tekkim Kimya Company is an group company
www.tekkim.com.tr | tekkim@tekkim.com.tr

Tekkim Kimya Sanayi ve Ticaret Limited Şirketi
Factory: O.S.B Mavi Caddesi 8.Sokak No:1 Nilüfer - BURSA | TURKEY

+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

Factory: istoc 33.ada No: 47-49-51-53

+90 212 659 64 24 (pbx) | Fax: +90 212 659 64 30 - 31

Safety Data Sheet

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Revision Date: 22.11.2022 Version 2



SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Don't breathe vapours, aerosols. Avoid substance contact. Keep away from head and source of ignition. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

6.2 Environmental precautions

Do not discharge into sewer. Risk of explosion.

6.3 Methods and material for containment and cleaning up

Close drainage channels. Take up with liquid-absorbent material. Clean the affected area.

6.4 Reference to other sections

Disposal: see section 13.

6.5 Additional information

Clear spills immediately.

SECTION 7: Handling and Storage

7.1 Precautions for safe handling

Advices on safe handling

Observe label precautions. Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Advices on general occupational hygiene

Change contaminated clothing. Wash hands after working with substance. It is recommended to use a skin protection cream.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and anything that can cause ignition.

7.3 Specific end uses

There are no other specific uses other than those mentioned in section 1.2.

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Acetonitrile	(75-05-8)
TWA (8 Hours)	40 ppm 70 mg/m ³

8.2 Exposure controls

Appropriate engineering controls

More attention should be paid to technical measures against the use of personal protective equipment.

Personal protection equipment


Eye/face protection

Safety glasses

Hand protection



Tekkim is accredited to
ISO 9001:2015 and ISO 14001:2015

Tekkim Kimya Company is an  group company
www.tekkim.com.tr | tekkim@tekkim.com.tr

Tekkim Kimya Sanayi ve Ticaret Limited Şirketi

Factory: O.S.B Mavi Cadde 8.Sokak No:1 Nilüfer - BURSA | TURKEY

+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

Factory: istoc 33.ada No: 47-49-51-53

+90 212 659 64 24 (pbx) | Fax: +90 212 659 64 30 - 31

Safety Data Sheet

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Revision Date: 22.11.2022 Version 2

TEKKİM

Hand protection

Full contact

Glove material : Butyl rubber
Glove thickness :0,70 mm
Break through time : >480 minute

Splash contact

Glove material : Chloroprene
Glove thickness :0,65 mm
Break through time : >10 minute

The protective gloves to be used must comply with the specifications of directive 89/686/EEC and the related standart EN374.

Other skin protection

Flame reterdant antistatic protective chlothing.

Respiratory protection

Required when vapors/aerosols are generated.

Recommended Filter type: Filter A (according to DIN 3181), for vapors of organic compounds.

SECTION 9: Physical and chemical Properties

9.1 Information on basic physical and chemical properties

Physical state	Liquid
Colour	Colorless
Odour	Characteristic
Odour threshold	39,8 mbp
pH value	No information.
Melting point/freezing point	-45,7 °C
Freezing point	No information.
Initial boiling point and boiling range	81,0 - 82,0 °C
Flash point	2,0 °C
Evaporation rate	5,8
Flammability (solid, gas)	525 °C
Upper/lower flammability or explosive limits	4,4 %(V)
Upper/lower flammability or explosive limits	16 %(V)
Vapour pressure	98,64 hPa 20 °C
Vapour density	1,42
Density	0,786 g/cm3 20 °C
Relative density	No information.
Water solubility (g/l)	Soluble.
Fat solubility (g/l)	No information.
Partition coefficient: n-octanol/water	log Pow: -0,54 25 °C - Bioaccumulation is not expected.
Auto-ignition temperature	No information.
Decomposition temperature	No information.
Viscosity	
Kinematic viscosity	No information.
Dynamic viscosity	0,350 Pas 20 °C
Explosive properties	Not classified as explosive.
Oxidising properties	none

SECTION 10: Stability and Reactivity

10.1 Reactivity

Vapors may form explosive mixture with air.

10.2 Chemical stability



Tekkim is accredited to
ISO 9001:2015 and ISO 14001:2015

Tekkim Kimya Company is an group company
www.tekkim.com.tr | tekkim@tekkim.com.tr

Tekkim Kimya Sanayi ve Ticaret Limited Şirketi

Factory: O.S.B Mavi Cadde 8.Sokak No:1 Nilüfer - BURSA | TURKEY

+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

Factory: istoc 33.ada No: 47-49-51-53

+90 212 659 64 24 (pbx) | Fax: +90 212 659 64 30 - 31

Safety Data Sheet

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Revision Date: 22.11.2022 Version 2

TEKKİM

The product is stable under storage at normal ambient temperatures.

10.3 Possibility of hazardous reactions

Violent reactions possible with strong bases, strong reducing agents.

Risk of explosion with nitrates, perchlorates, perchloric acid.

There is a risk of explosion or formation of flammable gases or vapors with oxidizing agents, nitric acid.

10.4 Conditions to avoid

In case of warming.

10.5 Incompatible materials

Rubber, various plastics.

10.6 Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity

LD50 Oral - Mouse - male and female - 617 mg/kg
(OECD Test Guideline 401)

Acute respiratory toxicity

LC50 Inhalation - Mouse - male and female - 4 h - 6,022 mg/l
(OECD Test Guideline 403)

Acute dermal toxicity

Acute toxicity estimate Dermal - 1,500 mg/kg

Serious eye damage/eye irritation

Eyes - Rabbit

Causes serious eye irritation.

(OECD Test Guideline 405)

11.2 Additional information

Handle in accordance with good industrial hygiene and safety practice

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish

flow-through test LC50 - Pimephales promelas (Carp calf) - 1,640 mg/l - 96 h
(ECHA)

Toxicity to algae (algae)

static test NOEC - Phaeodactylum tricornutum - 400 mg/l - 72 h
(ISO 10253)

12.2 Persistence and degradability

Biodegradability

Result: 70% - Easily degradable.

(OECD Test Guideline 310)

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Substance does not meet the criteria for PBT or vPvB.

12.6 Other adverse effects


Biological effects: Dangerous for drinking water supplies.

Discharge into the environment should be prevented.

SECTION 13: Disposal considerations



Tekkim is accredited to
ISO 9001:2015 and ISO 14001:2015

Tekkim Kimya Company is an  group company
www.tekkim.com.tr | tekkim@tekkim.com.tr

Tekkim Kimya Sanayi ve Ticaret Limited Şirketi

Factory: O.S.B Mavi Caddesi 8.Sokak No:1 Nilüfer - BURSA | TURKEY

+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

Factory: istoc 33.ada No: 47-49-51-53

+90 212 659 64 24 (pbx) | Fax: +90 212 659 64 30 - 31

Safety Data Sheet

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Revision Date: 22.11.2022 Version 2

TEKKİM

Waste treatment methods

It must be disposed of in accordance with national and local regulations. Do not mix with other products. Uncleaned Treat packages as if it were the product itself ... Waste materials must be disposed of in accordance with national and local regulations.

SECTION 14: Transport information

ADR	IMDG	IATA	ADN	RID
14.1 UN number UN 1648	UN 1648	UN 1648	UN 1648	UN 1648
14.2 UN proper shipping name ACETONITRILE	ACETONITRILE	ACETONITRILE	ACETONITRILE	ACETONITRILE

14.3 Transport hazard class(es)

3 3 3 3 3



14.4 Packing group

II II II II II

14.5 Environmental hazards

NO NO NO NO NO

No information available. No information available. No information available. No information available. No information available.

14.6 Special Precautions for User:

No information available.

SECTION 15: Regulatory information

15.1 Safety, health and environmental legislation specific for the substance or mixture

This product safety data sheet complies with the requirements of EU Regulation 1907/2006.

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been conducted for this substance.

SECTION 16: Other informations

Full text of H statements

H225 Highly flammable liquid and vapour.

H302 + H312 + H332 Harmful if swallowed, in contact with skin or if inhaled.

H319 Causes serious eye irritation.

Person Who Prepared the Safety Data Sheet:

Name:

Certificate Number and Date:

Communication information:

Erhan DİLER

11.29.03 & 11 Şubat 2020

05069903686



Tekkim is accredited to
ISO 9001:2015 and ISO 14001:2015

Tekkim Kimya Company is an group company
www.tekkim.com.tr | tekkim@tekkim.com.tr

Tekkim Kimya Sanayi ve Ticaret Limited Şirketi

Factory: O.S.B Mavi Caddesi 8.Sokak No:1 Nilüfer - BURSA | TURKEY

+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

Factory: istoc 33.ada No: 47-49-51-53

+90 212 659 64 24 (pbx) | Fax: +90 212 659 64 30 - 31