Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)



Revision Date: 29.11.2022 Version 2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Catalog No. TK.930144.00000

Product Name Octanol
Cas no 111-87-5

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses Use as a laboratory reagent.

1.2.2. Uses advised against

No information available.

1.3. Details of the supplier of the safety data sheet

Name TEKKİM KİMYA SAN. TİC. LTD. STİ.

Street ORGANİZE SAN. BÖL. MAVİ CAD. 8. SOK. NO :1 NİLÜFER / BURSA

Telephone 0224 243 21 71

E-mail erhan@tekkim.com.tr

Company Representative Erhan DİLER

1.4 Emergency Telephone Number +90 506 990 36 86

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 (CLP)

Eye irritation, Category 2

Long (chronic) aquatic hazard, Category 3

For the full text of the H and EUH statements referred to in this section, see section 16.

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 (CLP)

Hazard pictograms



Signal word (SEA)

WARNING

Hazard Statements (SEA)

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

Precautionary Statements (SEA)

Prevention

P264 Wash skin thoroughly after handling.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Intervention

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if fitted and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container to an approved waste disposal facility.

SECTION 3: Composition/information on ingredients

Classification according to Regulation (EC) No. 1272/2008 (CLP)







Tekkim is accredited to ISO 9001:2015 and ISO 14001:2015

Tekkim Kimya Company is an Kgroup company www.tekkim.com.tr | tekkim@tekkim.com.tr Tekkim Kimya Sanayi ve Ticaret Limited Şirketi Factory: O.S.B Mavi Cadde 8.Sokak No:1 Nlüfer - BURSA | TURKEY

+00 224 242 21 71 (-ba) | From +00 224 242 07 66

+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

Factory: istoc 33.ada No: 47-49-51-53

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)



Revision Date: 29.11.2022 Version 2

3.1 Maddeler

EC No203-917-6Molar mass130.23 g/molCas No111-87-5111-87-5(<= 100 %)</th>

SECTION 4: First aid measures

4.1 Description of first aid measures

General information In case of accident or unwellness, seek medical advice immediately

(show directions for use or safety data sheet if possible).

Following inhalation Provide fresh air...

Following skin contact Wash with plenty of water. Take off contaminated clothing.

Following eye contact In case of contact with eyes, rinse immediately with plenty of water and

consult an ophthalmologist.

Following ingestion After swallowing: caution if victim vomits. Risk of aspiration! Keep

airways free. Pulmonary failure possible after aspiration of vomit. Call a

physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling

4.3 Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Foam. Dry extinguishing powder. Carbon dioxide (CO2).

Unsuitable extinguishing media

There is no restriction for this item.

5.2 Special hazards arising from the substance or mixture

Carbon oxides. Flammable. Heavy-than-air vapors may form on the floor surface. Forms explosive mixtures with air at intense temperatures. In case of fire, dangerous flammable gases or vapors may develop.

5.3 Advice for firefighters

Special protective equipment for firefighters

In case of fire: Wear self-contained breathing apparatus...

5.4 Additional information

Stop and contain spill/release if it can be done safely. If this cannot be done, allow fire to burn under control.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Don't breathe vapours, aerosols. Avoid substance contact. Keep away from head and source of ignition. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

6.2 Environmental precautions

Do not allow to enter into surface water or drains.

6.3 Methods and material for containment and cleaning up

Close drainage channels. Take up with liquid-absorbent material. Clean the affected area.

6.4 Reference to other sections

Disposal: see section 13.

6.5 Additional information





Tekkim is accredited to ISO 9001:2015 and ISO 14001:2015

Tekkim Kimya Company is an K group company www.tekkim.com.tr | tekkim@tekkim.com.tr **Tekkim Kimya Sanayi ve Ticaret Limited Şirketi Factory:** O.S.B Mavi Cadde 8.Sokak No:1 Nlüfer - BURSA | TURKEY

+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

Factory: istoc 33.ada No: 47-49-51-53

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

TEKKIM

Clear spills immediately.

SECTION 7: Handling and Storage

7.1 Precautions for safe handling

Advices on safe handling

Observe label precautions.

Advices on general occupational hygiene

Change contaminated clothing. Wash hands after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Keep container tightly closed in dry and well-ventilated places.

7.3 Specific end uses

There are no other specific uses other than those mentioned in section 1.2.

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Contains no subtances with occupational exposure limit values.

8.2 Exposure controls

Appropriate engineering controls

More attention should be paid to technical measures against the use of personal protective equipment.

Revision Date: 29.11.2022

Version 2

Personal protection equipment

Eye/face protection

Safety glasses

Hand protection

Hand protection

in full contact

Glove material: Nitrile rubber Glove thickness: 0.4 mm Absorption time: > 480 minutes

In contact with splash

Glove material: Chloroprene Glove thickness: 0.65 mm Absorption time: > 240 minutes

The gloves to be used must comply with the specifications of EC directive 89/686/EEC and the resulting standard EN374.

Other skin protection

Protective chlothing.

Respiratory protection

Required when vapors/aerosols are generated.

Recommended Filter type: Filter A (according to DIN 3181), for vapors of organic compounds

SECTION 9: Physical and chemical Properties

9.1 Information on basic physical and chemical properties





Tekkim is accredited to ISO 9001:2015 and ISO 14001:2015

Tekkim Kimya Company is an K group company www.tekkim.com.tr | tekkim@tekkim.com.tr Tekkim Kimya Sanayi ve Ticaret Limited Şirketi

Factory: O.S.B Mavi Cadde 8.Sokak No:1 Nlüfer - BURSA | TURKEY

+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

Factory: istoc 33.ada No: 47-49-51-53

Melting point/freezing point

Flammability (solid, gas)

Initial boiling point and boiling range

Upper/lower flammability or explosive limits

Upper/lower flammability or explosive limits

Physical state

Odour threshold

Freezing point

Evaporation rate

Vapour pressure Vapour density

Relative density

Fat solubility (g/l)

Water solubility (g/l)

Flash point

Colour

Odour

pH value

Safety Data Sheet according to Regulation (EC) No. 1907/2006

(REACH)

Revision Date: 29.11.2022 Version 2 **TEKKIM**

Liquid Colorless Characteristic No information. No information.

-15 °C

No information.

195 °C 86,5 °C

No information.

294 °C 0.8 %(V) No information. 0.18 hPa 25 °C No information. No information.

No information. 107 g/l 25 °C No information. log Pow: 3,5 23 °C No information.

No information.

Partition coefficient: n-octanol/water Auto-ignition temperature Decomposition temperature

Viscosity

Density

Kinematic viscosity 5,584 mm2/s 40 °C Dynamic viscosity 9.0 mPa.s 20 °C

Explosive properties Not classified as explosive. Oxidising properties

none

SECTION 10: Stability and Reactivity

10.1 Reactivity

Forms explosive mixtures with air at intense temperatures.

10.2 Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3 Possibility of hazardous reactions

Violent reactions possible with acid chlorides, acid anhydrides, oxidizing agents, acids, halogen compounds. There is a risk of explosion with perchloric acid, perchlorates.

10.4 Conditions to avoid

Powerful heating.

10.5 Incompatible materials

Rubber, various plastics.

10.6 Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1 Information on toxicological effects





Tekkim is accredited to ISO 9001:2015 and ISO 14001:2015

Tekkim Kimya Company is an K group company www.tekkim.com.tr | tekkim@tekkim.com.tr

Tekkim Kimya Sanayi ve Ticaret Limited Şirketi

Factory: O.S.B Mavi Cadde 8.Sokak No:1 Nlüfer - BURSA | TURKEY

+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66 Factory: istoc 33.ada No: 47-49-51-53

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)



Acute oral toxicity LD50 Oral - Rat - male and female - > 5,000 mg/kg (OECD Testing Guide 401)

Acute dermal toxicity LD50 Dermal - Rabbit - male and female - > 2.000 - 4.000 mg/kg (OECD Testing Guide 402)

Revision Date: 29.11.2022

Version 2

Skin corrosion/irritation Skin - Rabbit slight irritation - 4 h (OECD Testing Guide 404)

Serious eye damage/eye irritation Eyes - Rabbit Causes serious eye irritation. (OECD Testing Guide 405)

11.2 Additional information

Handle in accordance with good industrial hygiene and safety practice

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish flow-through test LC50 - Pimephales promelas (Carp calf) - 13.3 mg/l - 96 h (OECD Testing Guide 203)

Toxicity to daphnia and other aquatic invertebrates static test EC50 - Daphnia magna (Water flea) - 20 mg/l - 24 h (ECHA)

Toxicity to algae (algae) static test ErC50 - Desmodesmus subspicatus (green algae) - 14 mg/l - 48 h (OECD Testing Guide 201)

Toxicity to bacteria EC50 - activated sludge - 350 mg/l - 3 h (OECD Testing Guide 209)

12.2 Persistence and degradability

Biodegradability oxygenated (aerobic) - Exposure time 28 d Result: 92% - Easily degradable. (OECD Testing Guide 310)

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Substance does not meet the criteria for PBT or vPvB.

12.6 Other adverse effects

Discharge into environment must be avoided.

SECTION 13: Disposal considerations

Waste treatment methods

It must be disposed of in accordance with national and local regulations. Do not mix with other products. Uncleaned Treat packages as if it were the product itself ... Waste materials must be disposed of in accordance with national and local regulations.







Tekkim Kimya Sanayi ve Ticaret Limited Şirketi Factory: O.S.B Mavi Cadde 8.Sokak No:1 Nlüfer - BURSA | TURKEY

+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

+90 224 243 21 /1 (pbx) | 1 dx. +90 224 242 3

Factory: istoc 33.ada No: 47-49-51-53

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)



Revision Date: 29.11.2022 Version 2

SECTION 14: Transport information

ADR IMDG IATA ADN RID
14.1 UN number

14.2 UN proper shipping name

It is not classified as dangerous goods.

It is not classified as dangerous goods.

It is not classified as dangerous goods.

It is not classified as dangerous goods.

It is not classified as dangerous goods.

It is not classified as dangerous goods.

It is not classified as dangerous goods.

14.3 Transport hazard class(es)



14.4 Packing group

-- -- -- -- --

14.5 Environmental hazards

NO NO NO NO NO

No information available. No information available. No information available. No information available. No information available.

14.6 Special Precautions for User:

No information available.

SECTION 15: Regulatory information

15.1 Safety, health and environmental legislation specific for the substance or mixture

This product safety data sheet complies with the requirements of EU Regulation 1907/2006.

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been conducted for this substance.

SECTION 16: Other informations

Full text of H statements

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

Person Who Prepared the Safety Data Sheet:

Name: Erhan DİLER

Certificate Number and Date: 11.29.03 & 11 Şubat 2020

Communication information: 05069903686





Tekkim is accredited to ISO 9001:2015 and ISO 14001:2015

Tekkim Kimya Company is an Kgroup company www.tekkim.com.tr | tekkim@tekkim.com.tr Tekkim Kimya Sanayi ve Ticaret Limited Şirketi

Factory: O.S.B Mavi Cadde 8.Sokak No:1 Nlüfer - BURSA | TURKEY

+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

Factory: istoc 33.ada No: 47-49-51-53