

Safety Data Sheet

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Revision Date: 01.12.2022 Version 2

TEKKİM

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Catalog No. TK.930159.00000
Product Name Chloramine T trihydrate
Cas no 7080-50-4

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use as a laboratory reagent.

1.2.2. Uses advised against

No information available.

1.3. Details of the supplier of the safety data sheet

Name TEKKİM KİMYA SAN. TİC. LTD. ŞTİ.
Street ORGANİZE SAN. BÖL. MAVİ CAD. 8. SOK. NO :1 NİLÜFER / BURSA
Telephone 0224 243 21 71
E-mail erhan@tekkim.com.tr
Company Representative Erhan DİLER

1.4 Emergency Telephone Number +90 506 990 36 86

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 (CLP)

Acute toxicity, Oral, Category 4
Skin Corrosion, Subcategory 1B
Serious eye damage, Category 1
Respiratory sensitization, Category 1

For the full text of the H and EUH statements referred to in this section, see section 16.

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 (CLP)

Hazard pictograms



Signal word (SEA)

DANGER

Hazard Statements (SEA)

H302 Harmful if swallowed.


H314 Causes severe skin burns and eye damage.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Precautionary Statements (SEA)



Tekkim is accredited to
ISO 9001:2015 and ISO 14001:2015

Tekkim Kimya Company is an  group company
www.tekkim.com.tr | tekkim@tekkim.com.tr

Tekkim Kimya Sanayi ve Ticaret Limited Şirketi

Factory: O.S.B Mavi Caddesi 8.Sokak No:1 Nilüfer - BURSA | TURKEY

+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

Factory: istoc 33.ada No: 47-49-51-53

+90 212 659 64 24 (pbx) | Fax: +90 212 659 64 30 - 31

Safety Data Sheet

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Revision Date: 01.12.2022 Version 2

TEKKİM

Prevention

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Intervention

P301+P312 IF SWALLOWED: Call 114 POISON CENTER or doctor/physician if you feel unwell.

P303+P361+P353 IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse your skin with water/shower.

P304+P340 IF INHALED: Move victim to fresh air and keep in a position comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if fitted and easy to do. Continue rinsing.

SECTION 3: Composition/information on ingredients

Classification according to Regulation (EC) No. 1272/2008 (CLP)

3.1 Maddeler

| | |
|---------------|--------------|
| EC No | 204-854-7 |
| Molar mass | 281.69 g/mol |
| Cas No | 7080-50-4 |
| Concentration | (<= 100 %) |

SECTION 4: First aid measures

4.1 Description of first aid measures

| | |
|------------------------|---|
| General information | In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). |
| Following inhalation | Remove casualty to fresh air and keep warm and at rest.. |
| Following skin contact | Wash with plenty of water. Take off contaminated clothing. |
| Following eye contact | In case of contact with eyes, rinse immediately with plenty of water and consult an ophthalmologist. |
| Following ingestion | Give up to two glasses of water. Get medical help immediately. Do not try to neutralize. Avoid vomiting (risk of perforation!). |

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling

4.3 Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water. Foam. Dry extinguishing powder. Carbon dioxide (CO₂).

Unsuitable extinguishing media

There is no restriction for this item.

5.2 Special hazards arising from the substance or mixture

Carbon oxides. Nitrogen oxides (NO_x). Sulfur oxides. Hydrogen chloride gas. Sodium oxide. Flammable. Fire may cause evolution of: Sulfur oxides, hydrogen chloride gas, nitrogen oxides. Heavy-than-air vapors may form on the floor surface. Forms explosive mixtures with air at intense temperatures. In case of fire, dangerous flammable gases or vapors may develop.

5.3 Advice for firefighters

Special protective equipment for firefighters


Do not stay in dangerous zone without self-contained breathing apparatus. Keep a safe distance to cut off contact with skin and wear suitable protective clothing.

5.4 Additional information

Stop and contain spill/release if it can be done safely. If this cannot be done, allow fire to burn under control.



Tekkim is accredited to
ISO 9001:2015 and ISO 14001:2015

Tekkim Kimya Company is an  group company
www.tekkim.com.tr | tekkim@tekkim.com.tr

Tekkim Kimya Sanayi ve Ticaret Limited Şirketi

Factory: O.S.B Mavi Caddesi 8.Sokak No:1 Nilüfer - BURSA | TURKEY

+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

Factory: istoc 33.ada No: 47-49-51-53

+90 212 659 64 24 (pbx) | Fax: +90 212 659 64 30 - 31

Safety Data Sheet

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Revision Date: 01.12.2022 Version 2

TEKKİM

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Don't breathe vapours, aerosols. Avoid substance contact. Keep away from head and source of ignition. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert..

6.2 Environmental precautions

Do not allow to enter into surface water or drains.

6.3 Methods and material for containment and cleaning up

Close drainage channels. Take up with liquid-absorbent material. Clean the affected area. Avoid generation of dust..

6.4 Reference to other sections

Disposal: see section 13.

6.5 Additional information

Clear spills immediately.

SECTION 7: Handling and Storage

7.1 Precautions for safe handling

Advices on safe handling

Pay attention to the precautions on the label. Work with the title. Do not inhale the substance.

Advices on general occupational hygiene

Change contaminated clothing. Wash hands after working with substance. It is recommended to use a skin protection cream.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Keep container tightly closed in dry and well-ventilated places. Do not store together with acids.

7.3 Specific end uses

There are no other specific uses other than those mentioned in section 1.2.

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Appropriate engineering controls

More attention should be paid to technical measures against the use of personal protective equipment.

Personal protection equipment


Eye/face protection

Fully fitting safety glasses

Hand protection



Tekkim is accredited to
ISO 9001:2015 and ISO 14001:2015

Tekkim Kimya Company is an  group company
www.tekkim.com.tr | tekkim@tekkim.com.tr

Tekkim Kimya Sanayi ve Ticaret Limited Şirketi
Factory: O.S.B Mavi Caddesi 8.Sokak No:1 Nilüfer - BURSA | TURKEY

+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

Factory: istoc 33.ada No: 47-49-51-53

+90 212 659 64 24 (pbx) | Fax: +90 212 659 64 30 - 31

Safety Data Sheet

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Revision Date: 01.12.2022 Version 2

TEKKİM

Hand protection

Full contact

Glove material : Nitrile rubber

Glove thickness :0,11 mm

Break through time : >480 minute

Splash contact

Glove material : Nitrile rubber

Glove thickness :0,11 mm

Break through time : >480 minute

The protective gloves to be used must comply with the specifications of directive 89/686/EEC and the related standart EN374.

Other skin protection

Protective chlothing.

Respiratory protection

Required when dusts occur.

Recommended Filter type: P2 type filter

SECTION 9: Physical and chemical Properties

9.1 Information on basic physical and chemical properties

| | |
|--|-------------------------|
| Physical state | Solid |
| Colour | Light yellow |
| Odour | No information. |
| Odour threshold | No information. |
| pH value | 8,0 - 10,0 50 g/l 20 °C |
| Melting point/freezing point | 167 - 170 °C |
| Freezing point | No information. |
| Initial boiling point and boiling range | No information. |
| Flash point | 192 °C |
| Evaporation rate | No information. |
| Flammability (solid, gas) | No information. |
| Upper/lower flammability or explosive limits | No information. |
| Upper/lower flammability or explosive limits | No information. |
| Vapour pressure | No information. |
| Vapour density | No information. |
| Density | No information. |
| Relative density | No information. |
| Water solubility (g/l) | Soluble. |
| Fat solubility (g/l) | No information. |
| Partition coefficient: n-octanol/water | No information. |
| Auto-ignition temperature | No information. |
| Decomposition temperature | No information. |

Viscosity

| | |
|----------------------|------------------------------|
| Kinematic viscosity | No information. |
| Dynamic viscosity | No information. |
| Explosive properties | Not classified as explosive. |
| Oxidising properties | none |

SECTION 10: Stability and Reactivity

10.1 Reactivity


Forms explosive mixtures with air at intense temperatures. Releases toxic gas in contact with acids.

10.2 Chemical stability

The product is stable under storage at normal ambient temperatures.



Tekkim is accredited to
ISO 9001:2015 and ISO 14001:2015

Tekkim Kimya Company is an  group company
www.tekkim.com.tr | tekkim@tekkim.com.tr

Tekkim Kimya Sanayi ve Ticaret Limited Şirketi

Factory: O.S.B Mavi Caddesi 8.Sokak No:1 Nilüfer - BURSA | TURKEY

+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

Factory: istoc 33.ada No: 47-49-51-53

+90 212 659 64 24 (pbx) | Fax: +90 212 659 64 30 - 31

Safety Data Sheet

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Revision Date: 01.12.2022 Version 2

TEKKİM

10.3 Possibility of hazardous reactions

Forms dangerous gas or vapor in contact with acids.

10.4 Conditions to avoid

Powerful heating.

10.5 Incompatible materials

Do not store together with acids. Strong oxidizing agents, ammonia.

10.6 Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity

LD50 Oral - Rat - male and female - 935 mg/kg
(OECD Testing Guide 401)

Acute respiratory toxicity

LC50 Inhalation - Rat - male and female - 4 h - > 0.275 mg/l
(OECD Testing Guide 403)

Skin corrosion/irritation

Skin - Rabbit

Result: Causes burns. - 4 h
(OECD Testing Guide 404)

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Causes serious eye damage. - 72 h
(OECD Testing Guide 405)

Respiratory or skin sensitization

May cause breathing difficulties, asthma attacks or allergies if inhaled.
(ECHA)

11.2 Additional information

Absorption into the body causes the formation of methemoglobin, which, if it reaches sufficient concentration, causes cyanosis. It may take 2 to 4 hours or longer for symptoms to appear. Cough, shortness of breath, headache, nausea, vomiting.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish

static test LC50 - Oncorhynchus mykiss (Rainbow trout) - 100 mg/l - 96 h
(US-EPA)

Toxicity to daphnia and other aquatic invertebrates

EC50 - Daphnia magna (Water flea) - 4.5 mg/l - 48 h
(IUCLID)

Toxicity to algae (algae)

static test ErC50 - Pseudokirchneriella subcapitata (green algae) - 13 mg/l - 96 h
(OECD Testing Guide 201)


Toxicity on bacteria

static test EC50 - activated sludge - 37 mg/l - 3 h
(OECD Testing Guide 209)

12.2 Persistence and degradability



Tekkim is accredited to
ISO 9001:2015 and ISO 14001:2015

Tekkim Kimya Company is an  group company
www.tekkim.com.tr | tekkim@tekkim.com.tr

Tekkim Kimya Sanayi ve Ticaret Limited Şirketi
Factory: O.S.B Mavi Caddesi 8.Sokak No:1 Nilüfer - BURSA | TURKEY

+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

Factory: istoc 33.ada No: 47-49-51-53

+90 212 659 64 24 (pbx) | Fax: +90 212 659 64 30 - 31

Safety Data Sheet

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Revision Date: 01.12.2022 Version 2



Biodegradability
oxygenated (aerobic) - Exposure time 28 d
Result: 92% - Easily degradable.
(OECD Test Guide 301D)

12.3 Bioaccumulative potential

Bioaccumulation
Oncorhynchus mykiss (Rainbow trout) - 1 h 11.8 °C - 20 mg/l(Chloramine-T trihydrate)

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Substance does not meet the criteria for PBT or vPvB.

12.6 Other adverse effects




Discharge into environment must be avoided.

SECTION 13: Disposal considerations

Waste treatment methods

It must be disposed of in accordance with national and local regulations. Do not mix with other products. Uncleaned Treat packages as if it were the product itself ... Waste materials must be disposed of in accordance with national and local regulations.

SECTION 14: Transport information

| ADR | IMDG | IATA | ADN | RID |
|---|---|---|--|--|
| 14.1 UN number UN 2928 | UN 2928 | UN 2928 | UN 2928 | UN 2928 |
| 14.2 UN proper shipping name CORROSIVE SOLID, BASIC, ORGANIC, N.O.S. (Chloramine-T trihydrate) | CORROSIVE SOLID, BASIC, ORGANIC, N.O.S. (Chloramine-T trihydrate) | CORROSIVE SOLID, BASIC, ORGANIC, N.O.S. (Chloramine-T trihydrate) | CORROSIVE SOLID, BASIC, ORGANIC, N.O.S. (Chloramine-T trihydrate) | CORROSIVE SOLID, BASIC, ORGANIC, N.O.S. (Chloramine-T trihydrate) |
| 14.3 Transport hazard class(es) 6.1 (8) | 6.1 (8) | 6.1 (8) | 6.1 (8) | 6.1 (8) |
|  |  |  | | |
| 14.4 Packing group II | II | II | II | II |
| 14.5 Environmental hazards NO | NO | NO | NO | NO |
| No information available. | No information available. | No information available. | No information available. | No information available. |

14.6 Special Precautions for User:

No information available.

SECTION 15: Regulatory information


15.1 Safety, health and environmental legislation specific for the substance or mixture

This product safety data sheet complies with the requirements of EU Regulation 1907/2006.

15.2 Chemical Safety Assessment



Tekkim is accredited to
ISO 9001:2015 and ISO 14001:2015

Tekkim Kimya Company is an  group company
www.tekkim.com.tr | tekkim@tekkim.com.tr

Tekkim Kimya Sanayi ve Ticaret Limited Şirketi

Factory: O.S.B Mavi Caddesi 8.Sokak No:1 Nilüfer - BURSA | TURKEY

+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

Factory: istoc 33.ada No: 47-49-51-53

+90 212 659 64 24 (pbx) | Fax: +90 212 659 64 30 - 31

Safety Data Sheet

Safety Data Sheet according to Regulation (EC) No. 1907/2006
(REACH)

Revision Date: 01.12.2022

Version 2

TEKKİM

A Chemical Safety Assessment has not been conducted for this substance.

SECTION 16: Other informations

Full text of H statements

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Person Who Prepared the Safety Data Sheet:

Name:

Erhan DİLER

Certificate Number and Date:


11.29.03 & 11 Şubat 2020

Communication information:

05069903686



Tekkim is accredited to
ISO 9001:2015 and ISO 14001:2015

Tekkim Kimya Company is an  group company
www.tekkim.com.tr | tekkim@tekkim.com.tr

Tekkim Kimya Sanayi ve Ticaret Limited Şirketi

Factory: O.S.B Mavi Caddesi 8.Sokak No:1 Nilüfer - BURSA | TURKEY

+90 224 243 21 71 (pbx) | Fax: +90 224 242 97 66

Factory: istoc 33.ada No: 47-49-51-53

+90 212 659 64 24 (pbx) | Fax: +90 212 659 64 30 - 31